





At Simonton, we believe your coastal windows and doors should do more.

- Storm Protection Simonton coastal windows and doors offer proven impact protection
- Noise Reduction The transparent laminate interlayer helps filter unwanted outside noise
- Increased Security Because they're impactresistant, coastal impact windows and doors are very difficult to penetrate—helping to deter intruders
- Peace of Mind A Double-Lifetime Limited Warranty on StormBreaker Plus products provides comforting peace of mind



Admire them on a beautiful day and you'd never know just how tough Simonton coastal impact windows and doors are. But when faced with hurricane-force winds, they're designed to help keep your home's "building envelope" intact. So, they could help save your belongings and even your home.

Advanced missile testing ensures that Simonton coastal impact products meet or exceed standards for impact-resistance.



We plan for the worst so you can enjoy the best.





StormBreaker Plus windows are tested and certified to meet the AAMA standards for (HVHZ) and Miami-Dade and Broward County specifications for the Florida Building Commission and meet the Texas Department of Insurance evaluation for the Texas Coast.

Protection you can't see. Beauty you can't miss.



Simonton's coastal impact windows and doors feature an invisible vinyl interlayer that will remain intact when struck with force and remarkably strong profiles. Yet they provide the beauty of traditional windows. After all, they may never have to take an impact, but we believe they should always make one.



StormBreaker Plus products feature reinforced profiles for added strength.



Impact-resistant, laminated glass features a durable interlayer that will remain intact when struck with substantial force for constant, "built-in" protection.











No matter where you live, Simonton has the level of protection you need to feel safe, sound and secure season after season, year after year. Every component of Simonton coastal products is designed with your peace of mind in mind. StormBreaker Plus is approved for HVHZ (High Velocity Hurricane Zone) and meets the South Florida Miami-Dade and Broward County specifications.

StormBreaker Plus[®]

Missile D Level Protection-50 ft. per second

- > The highest level of impact protection
- \rightarrow 24/7 protection without storm shutters
- > Protection against forced entry
- > Helps reduce unwanted noise

Brickmould 600 with SafePoint® Glass Missile C Level Protection-40 ft. per second

- > Ideal for areas that require Missile C
 - impact protection
- \rightarrow 24/7 protection without storm shutters
- > Protection against forced entry
- > Helps reduce unwanted noise

Simonton Non-impact Products

- > Non-impact products that meet required
 - design pressure (DP) ratings
- > Perfect for use in conjunction with
 - storm shutters

You don't have to play it safe with your imagination.

Colonial

Casement

Eyebrow

with Leg

with Leg

Pentagon

Garden Door¹ Out-swing only

Casemen

Eyebrow

Eyebrow

Segment


Triangle




PATTERNS

STORMBREAKER PLUS COLORS

> BRICKMOULD 600 COLORS





A Picture window flanked by two Double Hung windows.



Two Colonial Casement windows.



Hexagon Octagon Full Circle

Quarter-round Quarter-round Trapezoid

DOOR OPERATING STYLES

with Leg



Two-Panel Patio Door



Select your

End Vent Slider

Picture

Half-round

with Leg

WINDOW OPERATING STYLES

Double

Hung

operating style.

STEP

Horizontal

Roller

Half-round



[†]StormBreaker Plus only See inside back cover for more installation frame options. doors are the perfect way to realize the vision





Consider a unique

COASTAL IMPACT SERIES



Choose your decorative options.




^{*}Exterior only **SafePoint only

A window for every season.

Simonton coastal products deliver impressive yearround thermal performance. The laminated interlayer in impact-resistant windows and doors also serves as an excellent insulator. And Simonton's premium vinyl provides outstanding energy efficiency.

Every Simonton window and door can be ordered to meet ENERGY STAR[®] guidelines. Just select the glass package for your climate zone for optimum energy efficiency and comfort.









As an ENERGY STAR partner, Simonton Windows[®] is committed to meeting the strict criteria of the U.S. Environmental Protection Agency to help conserve energy and reduce heating and cooling costs for all our customers.




Keeping your home secure every day, impact-resistant glass features a strong interlayer that will remain intact, even when struck with force from wind-borne debris or an intruder.

GLASS PACKAGES TAILORED TO YOUR CLIMATE.



Standard **ProSolar® Low E Glass** helps retain cooled air in summer and warm airin winter.





Allows

For high-performance results, **ProSolar**[®] **Shade** is an advanced spectrally selective Low E glass that provides the ultimate in solar heat control, energy savings and helps block damaging UV rays while allowing desirable light into the home.



Simonton's coastal Impact Patio and Garden Doors allow you to enjoy the world while protecting you from it. The highest levels of impact-resistant performance, advanced energy efficiency and room-opening style provide peace of mind, comfort and savings.

PATIO DOOR

Corrosion-resistant rollers and sill track provide smooth operation for the lifetime of the door.





Open the door to peace of mind.

GARDEN DOOR

A full-length anodized aluminum fixed geared hinge helps keep the door aligned and virtually eliminates panel sag. (StormBreaker Plus only)

Designed to weather life.



A. Storm Protection, *Plus*

Impact-resistant glass features a durable interlayer that will remain intact when struck with flying debris to protect the home's pressure envelope.

Peace and Quiet

The sound-dampening interlayer provides up to a 50% reduction in unwanted outside noise for entering your home.

Safe and Secure

Laminated glass is difficult to penetrate, deterring would-be intruders.

Sun Shield

Laminated glass filters much of the sun's damaging rays that can fade furnishings, carpet and artwork.

B. Thermally Enhanced

The insulating glass unit provides excellent thermal performance for year-round comfort and energy savings.

C. Built-in Strength

Fusion-welded frame and sash increase weather resistance and durability, while the reinforced profiles add to the structural integrity of the window.

D. Weatherability

Vinyl has excellent insulating properties and can stand up to extreme weather conditions year after year.

E. Water Diversion

Simonton's sill design moves water quickly away from your home.

F. Trouble-free Operation

The stainless steel constant force coil spring balance system allows the sash to raise and lower smoothly, ensuring a lifetime of trouble-free operation.

G. No Hassles

Premium vinyl requires virtually no maintenance to look beautiful for a lifetime.

| ProFinish® Brickmould 600 w/SafePoint™ Glass | StormBreaker Plus® SERIES | | |
|---|---|---|-----------------------|
| N/A | • | .090 Laminated Glass | |
| • | N/A | .060 Laminated Glass | |
| N/A | • | 3/4" Insulating Glass Unit | |
| • | N/A | 7/8" Insulating Glass Unit | |
| N/A | • Double Hung, Horizontal Roller, Casement & Awning | Double-strength, Annealed | Glass |
| • | ● Picture, Geo, Patio & Garden Door ● Double Hung, Horizontal Roller, Casement & Awning | Double-strength, Tempered | |
| • | Double Hung, Horizontal Roller, Casement & Awning | Intercept' Spacer System | |
| + | N/A | Supercept™ | qs |
| + | ● Picture, Geo, Patio & Garden Door ➡ Double Hung, Horizontal Roller, Casement & Awning | Super Spacer* | Spacer |
| • | • | ProSolar [®] with Argon Gas | |
| + | + | ProSolar Shade w/ Argon Gas | |
| N/A | + | ProSolar Turtle Glass | |
| + | + | Bronze Tint | Glass Options |
| + | + | Gray Tint | Opti |
| + | + | Laminated Obscure Glass | ons |
| × | × | ENERGY STAR* Glass Packages - Meets or can be ordered to meet ENERGY STAR guidelines in all regions of the country | |
| + | • | Half Screen | Scre |
| • | + | Full Screen | Screens |
| • | • | Fiberglass Mesh | Screen Mesh |
| + | + | Aluminum Mesh | een sh |
| • | • | Integral Lift Rail | _ |
| N/A | • | 3/4" Coil Balance (DH) | Hardware Options |
| • | N/A | 1/2" Coil Balance (DH) | vare ons |
| + | + | Stainless Steel Casement Hardware | |
| N/A | X | Box Frame | = |
| N/A | X | Box Frame with Fin | stalla |
| N/A | X | Box Frame with Fin & J-channel | ition |
| N/A | X | Masonry Flange | Installation and Trim |
| X | N/A | Integral Brickmould w/J-channel | Trim |
| + | N/A | Flat Casing Trim | |
| Lifetime | Double Lifetime | Vinyl | |
| Lifetime | Double Lifetime | Hardware | |
| Lifetime 0-20 Years: 100% | Double Lifetime 0-20 Years: 100% | Screen | War |
| 21-50 Years: 75% 51 Years-Lifetime: | 21-50 Years: 75% 51 Years-Lifetime: | Glass (Prorated) | Warranty |
| 50% | 50% | Transferable | |
| ^ | ^ | Tanarerable | |

Key:

• = Standard

÷

Ш

Option

N/A = Not Available

 \mathbf{x}

Yes

| ProFinish® ickmould 600 w/SafePoint™ Glass | stormBreaker Plus® SERIES | | |
|---|---------------------------------|-----------------------------------|--|
| N/A | • | Missle D Level Protection | |
| • | N/A | Missle C Level Protection | Testing |
| N/A | + | нунz | g |
| • | • | White (standard) | 0,07 |
| N/A | + | Tan | Interior/ Exterior Vinyl Colors |
| + | N/A | Driftwood | s or |
| + | N/A | Driftwood | |
| N/A | N/A | Tan | _ |
| + | N/A | Brick | Exterior Colors |
| + | N/A | Pine | ior C |
| + | N/A | Chocolate | olors |
| + | + | Bronze | |
| + | N/A | Cream | |
| + | N/A | Light Woodgrain | Lam |
| + | N/A | Dark Woodgrain | Interior Laminates |
| • | • | White | |
| N/A | + | Tan | |
| + | N/A | Driftwood | Harc |
| + | N/A | Sandstone (Std. w/woodgrain) | dwar |
| + | N/A | Dark Bronze | e Fin |
| + | N/A | Oil-rubbed Bronze | Hardware Finishes |
| + | + | Brushed Nickel | |
| + | + | Polished Brass | |
| + | + | Flat | |
| + | + | Sculptured | Grids |
| + | N/A | Simulated Divided Lites | |
| + | + | Colonial | |
| + | + | Diamond | |
| + | + | Prairie | Grid |
| + | + | Double Prairie | Grid Patterns |
| + | + | Perimeter | erns |
| + | + | Double Perimeter | |
| + | + | Victorian | |
| X | × | Double Hung | |
| N/A | × | Single Slider / Horizontal Roller | |
| × | N/A | 2-lite Slider | |
| × | × | 3-lite Slider | |
| × | X | Casement | |
| × | × | Colonial Casement | |
| × | X | Awning | Styles |
| × | X | Picture | |
| × | X | Geometric | |
| × | X | Patio Door | |
| × | N/A | Side Lites | |
| × | N/A | Transoms | |
| N/A | × | Garden Door | |

Bri

ง

Coastal Products Quick Reference Guide

Why choose Simonton?

Quality. For more than 70 years, Simonton branded windows and doors have led the industry with legendary quality that shows in every detail, from premium vinyl and advanced glass packages to exclusive features.

Service. We believe service really begins after the sale and we proudly stand behind every window and door we make. When you choose Simonton, you can be sure we're only a phone call away.

Warranty. Only windows and doors built this well could be backed by a warranty this good. Our Double-Lifetime Limited Warranty on StormBreaker Plus is among the industry's most comprehensive.

Delivery. Simonton doesn't just deliver on our promises, we do it better than anyone else. We continue to offer some of the most impressive delivery times in the industry.

To learn more contact your **Simonton distributor** or visit **simonton.com**



3948 Townsfair Way, Suite 200 Columbus, Ohio 43219 1-800-SIMONTON (1-800-746-6686) simonton.com

Join the conversation



Code Specifications: Due to varied state and municipal building codes, it is the sole responsibility of the individual architect, builder, contractor, developer, engineer and/or purchaser to ensure that any Simonton product complies with applicable existing building codes. Simonton is not responsible for calculation and design of support mullions or structural support required for installation of products, safety glazing requirements or ingress/egress requirements. Please contact your local building codes official prior to installing products is post prequired for installation of products, safety glazing requirements or ingress/egress requirements. Please contact your local building codes official prior to installing products and publication. Not all product styles, features, colors and options available in all areas. Please consult your sales representative prior to purchasing. Due to limitations in the printing process actual colors may vary from printed materials. Please e a sample of the product before making your final color selection.

Simonton,* StormBreaker Plus,* ProSolar* and the stylized "S" are registered trademarks and Supercept[™] is a trademark of Simonton Windows & Doors, Inc. or its affiliates. Intercept* is a registered trademark of PPG Industries, Inc. Super Spacer* is a registered trademark of Edgetech I.G., Inc. ENERGY STAR* name and mark are registered trademarks owned by the U.S. EPA. ©2017 Simonton Building Products, LLC. Printed in U.S.A.

